Mutation Research, 43 (1977) 465
© Elsevier/North-Holland Biomedical Press

AUTHOR INDEX

VOLUME 43 (1977)

Aeschbacher, H.U., 71
Anderson, D., 231
Ashwood-Smith, M.J., 377
Asquith, J.C., 91

Bajerska, A., 291
Bhatia, C.R., 45
Bleichrodt, J.F., 313
Brookes, P., 101

Cerutti, P.A., 139
Chamberlain, M., 159
Chaubey, R.B., 441
Chauhan, P.S., 441
Chlebowicz, E., 1
Cisowka, B., 291
Cuthbert, J.A., 231

Eckardt, F., 327

Friedman, G.B., 377
Friedman, M.A., 255
Fujiwara, Y., 279

Gopal-Ayengar, A.R., 45
Gottwick, D., 71
Graf, U., 57
Grant, E.L., 377
Green, M.M., 305
Green, R.E., 449
Gorbunova, L.V., 263
Grover, P.L., 117

Halloran, G.M., 223
Haynes, R.H., 327
Heddle, J.A., 377
Hince, T.A., 11
Hirai, M., 147
Hodge, M.C.E., 231

Ikenaga, M., 415
Inui, N., 429
Ishii, Y., 415

Jachymczyk, W.J., 1

Kaina, B., 387, 401
Kashyap, A.K., 37
Kavi, B.R., 441
Khalatkar, A.S., 45
Kiang, L.C., 223
Knuutila, S., 309
Kofkoff, R., 453

Lemonnt, J.F., 165, 179, 339
Liniecki, J., 291
Luss, E.V., 263

Maher, V.M., 117
Marshak, M.I., 263
McCormick, J.J., 117
McGregor, D.B., 231
Mollet, P., 65

Nakai, S., 147
Neale, S., 11
Newbold, R.F., 101
Nigsch, J., 57

Okada, S., 25, 81
Ono, T., 25
Osgood, C., 453

Purchase, I.F.H., 231

Remsen, J.F., 139
Rieger, R., 387
Roos, A.L.M., 313
Roos-Verheij, W.S.D., 313

Selby, P.B., 357
Selby, P.R., 357
Shapiro, N.I., 263
Sheridan, W., 247
Siimes, M., 309
Simell, O., 309
Sims, P., 117
Singh, N.H., 205
Singh, R.N., 37
Singh, S.P., 445
Soares, E.R., 247
Sonie, K.C., 205
Staub, J., 255
Sundaram, K., 441
Suzuki, N., 81
Swietlinska, Z., 1

Takebe, H., 415
Taketomi, M., 429
Talmud, P.J., 213
Tarmy, E.M., 159
Tatsumi, 279
Thompson, M.H., 101
Tommisto, P., 309

Varshaver, N.B., 263

Waller, H., 387
Waller, M., 387
Weber, T., 309
Wigley, C.B., 101
Würgler, F.E., 57
Würzner, H.P., 71
Wyszyńska, K., 291

Zimmering, S., 449, 453
Zuk, J., 1

Mutation Research, 43 (1977) 467—476
© Elsevier/North-Holland Biomedical Press

SUBJECT INDEX

VOLUME 43 (1977)

Aberrations, in diploid and Down's fibroblasts, action of *N*-methyl-*N*-nitrosourea, 387, 401

—, induced by γ-irradiation, in human lymphocytes, 291

—, of Syrian hamster embryonic cells after methylnitrosocyanamide exposure, 429

Abnormalities, skeletal, in mice, caused by γ-ray-induced dominant mutations, 357

Acetylaminofluorene, in mouse and hamster bone marrow, 255

Acriflavine, mutations in blue-green alga, 37

Aflatoxin B1, in mouse and hamster bone marrow, 255

Alga, blue-green, *Nostoc muscorum*, isolation and characterization of chlorate-resistant mutants of, 205

—, —, —, isolation of sulphate reductaseless mutants of, 445

—, —, *Plectonema boryanum*, induction of mutations, 37

Alkaline sucrose gradient, sedimentation, of methyl methanesulphonate-induced breakage in *S. cerevisiae* mutants, 1

Alkylating agent, physiological modification of mutagenesis induced by, 11

2-Aminopurine, mutations in blue-green alga, 37

Amosite, in bacterial mutation tests, 159

Analysis, genetic, of UV-resistant mutants of *S. cerevisiae*, 179

—, —, of X-ray-induced interchanges in spermatocytes of *D. melanogaster*, 449

Angelicin, and psoralen, damage in Chinese hamster cells sensitized to near-UV light by, 377

Anthophyllite, in bacterial mutation tests, 159

Arm, number, of chromosome, in primates, dicentric yields by γ-irradiation, and, 147

Asbestos, fibres, in bacterial mutation tests, 159

Ataxia telangiectasia, fibroblasts, excision of γ-ray-induced thymine lesions by preparations from, 139

Bacterial, mutation tests, asbestos and glass fibres, 159

Bacteriophage, T7, γ-ray irradiation, independence of host-repair mechanisms, 313

Barley, embryos, ethyl methanesulphonate treatment, 45

—, seeds, treatment with ethyl methanesulphonate, 45

Benzanthracene 5,6-oxide, in normal and xeroderma pigmentosum fibroblasts, 117

Benzopyrene, cell-mediated mutagenesis in cultured Chinese hamster cells, 101

Benzopyrene 4,5-oxide, in normal and xeroderma pigmentosum fibroblasts, 117

Blue-green, alga, *Plectonema boryanum*, induction of mutations, 37

Bone marrow, chromosomes, in man, long-term use of phenytoin, 309

—, of mouse and hamster, micronuclei by chemical carcinogens, 255

—, of Swiss mouse, effect of ethanol on frequency of micronuclei in, 441

Breakage, single-strand, in *S. cerevisiae*, induced by methyl methanesulphonate, alkaline sucrose sedimentation studies, 1

Caffeine, in *Drosophila melanogaster* strains, 453

—, and mutations in blue-green alga, 37

—, toxicity in Drosophila strains with different methyl methanesulphonate sensitivities, 57

Canadian chrysotile, in bacterial mutation tests, 159

Canavanine, toxicity, relation between, and UV mutability to canavanine resistance, in yeast, 339

Carcinogen, asbestos fibres, in bacterial mutation tests, 159

—, chemical, induction of micronuclei in mouse and hamster bone marrow, 255

—, 4-nitroquinoline 1-oxide, excision repair of DNA base damage in human cells treated with, 415

Carcinogenic, polycyclic hydrocarbons, cell-

mediated mutagenesis in cultured Chinese hamster cells, 101
Cavity, intraperitoneal, of mice, γ-ray mutagenesis, 81
Cell-mediated mutagenesis, in cultured Chinese hamster cells, by carcinogenic polycyclic hydrocarbons, 101
Cells, of Chinese hamster, cultured, cell-mediated mutagenesis in, by carcinogenic polycyclic hydrocarbons, 101
—, —, damage in, sensitized to near-UV light by psoralen and angelicin, 377
—, —, temperature-sensitive, glutamine-requiring, mutagenesis, 263
—, cycle, inhibition, in diploid and Down's fibroblasts, action of *N*-methyl-*N*-nitrosourea, 387
—, division, post-treatment, mutagenesis of yeast by hydrazine, 165
—, embryonic, of Syrian hamster, mutation of, after exposure to methylnitrosocyanamide, 429
—, germ and somatic, individual susceptibility of mice to a mutagen in, 71
—, human, normal and xeroderma pigmentosum, low-level DNA exchanges after UV, 279
—, —, treated with 4-nitroquinoline 1-oxide, excision repair of DNA base damage, 415
—, lines, human, non-established, action of *N*-methyl-*N*-nitrosourea on, *in vitro*, 387, 401
—, mammalian, cultured, γ-ray mutagenesis, *in vitro* and *in vivo*, 81
—, —, effect of dose fractionation on γ-radiation-induced mutations, 91
—, stimulated, and non-stimulated, of human lymphocytes treated with γ-rays, dose-rate effects, 291
Characterization, of chlorate-resistant mutants of blue-green alga *Nostoc muscorum*, 205
—, of an early dwarf mutant in soyban, 223
Chemical, carcinogens, induction of micronuclei in mouse and hamster bone marrow, 255
—, mutagenesis, in temperature-sensitive glutamine-requiring Chinese hamster cells, 263
Chinese hamster, cells, cultures, cell-mediated mutagenesis in, by carcinogenic polycyclic hydrocarbons, 101
—, —, damage in, sensitized to near-UV light by psoralen and angelicin, 377
—, —, temperature-sensitive, glutamine-requiring, spontaneous, chemical and viral mutagenesis, 263
—, —, V79-4, effect of dose fractionation on γ-radiation-induced mutations, 91
Chlorate, -resistant mutants, of blue-green alga *Nostoc muscorum*, isolation and characterization of, 205
Chromosome, arm number, in primates, dicentric yields by γ-radiation, and, 147
—, of bone-marrow, in man, long-term use of phenytoin, 309
—, damage, in Chinese hamster cells, sensitized to near-UV light by psoralen and angelicin, 377
—, replicating forks, influence of numbers of, on frequency of mutations in *E. coli*, 11
—, rod-X and Y, of *D. melanogaster*, X-ray-induced interchanges, 449
Chrysene 5,6-oxide, in normal and xeroderma pigmentosum fibroblasts, 117
Chrysotile, canadian, in bacterial mutation tests, 159
Clones, mutant, sectored, and pure, induced in yeast, 327
Conditions, of treatment, ethyl methanesulphonate uptake by barley embryos, 45
Copies, of gene, influence of numbers of, on frequency of mutations induced in *E. coli*, 11
Coprinus lagopus, mutational synergism between *p*-fluorophenylalanine and Uv, 213
Correlation, between ethyl methanesulphonate uptake by barley embryos, under different conditions, and mutation frequency, 45
—, between sensitivity of methyl methanesulphonate and caffeine, in Drosophila strains, 57
Crocidolite, in bacterial mutation tests, 159
Cultured, Chinese hamster cells, cell-mediated mutagenesis in, by carcinogenic polycyclic hydrocarbons, 101
—, mammalian cells, γ-ray mutagenesis, *in vitro* and *in vivo*, 81
Cyanophage, and streptomycin resistance, mutations to, in blue-green alga, 37
Cycle, of cell, inhibition, in diploid and Down's fibroblasts, action of *N*-methyl-*N*-nitrosourea, 387
Cyclophosphamide, dominant-lethal test results in two laboratories, 231
Cytotoxicity, of polycyclic hydrocarbon derivatives, in human fibroblasts, 117

Damage, of chromosomes, in Chinese hamster cells, sensitized to near-UV light by psoralen and angelicin, 377

—, of DNA base, excision repair of, in human cells treated with 4-nitroquinoline 1-oxide, 415
Derivatives, of polycyclic hydrocarbons, damage in normal and xeroderma pigmentosum human fibroblasts, 117
Dibenzanthracene 5,6-oxide, in normal and xeroderma pigmentosum fibroblasts, 117
Dicentric, yields, by γ-radiation, and chromosome arm number in primates, 147
7,12-Dimethylbenzanthracene 5,6-oxide, in normal and xeroderma pigmentosum fibroblasts, 117
Dimethylnitrosamine, in mouse and hamster bone marrow, 255
Diploid, and Down's fibroblasts, aberration induction in, action of *N*-methyl-*N*-nitrosourea, 387, 401
Distribution, non-random, of aberrations in diploid and Down's cells, action of *N*-methyl-*N*-nitrosourea, 401
Division, of cell, post-treatment, mutagenesis of yeast by hydrazine, 165
DNA, base, damage, excision repair of, in human cells, treated with 4-nitroquinoline 1-oxide, 415
—, exchanges, low-level, in normal human and xeroderma pigmentosum cells after UV, 279
—, repair, effect of, on damage by polycyclic hydrocarbon derivatives, in human fibroblasts, 117
—, single-strand breakage, and rejoining, in mutants of *S. cerevisiae*, methyl methanesulphonate-induced, alkaline sucrose sedimentation studies, 1
Dominant, mutations, that cause skeletal abnormalities in mice, γ-ray-induced, 357
Dominant-lethal, test, results, with known mutagens, in two laboratories, 231
—, —, susceptibility of mice to a mutagen in germ and somatic cells, 71
Dominant lethals, in mouse, by triethylenemelamine, 247
Dose, fractionation, of γ-radiation in mammalian cells, 91
Dose-rate, effects, in stimulated and non-stimulated cells, of human lymphocytes, treated with γ-rays, 291
Down's, fibroblasts, aberration induction in, action of *N*-methyl-*N*-nitrosourea, 387
Drosophila melanogaster, females, treated with triethylenemelamine, and X-irradiated sperm, 65
—, primary spermatocytes, genetic analysis of X-ray-induced interchanges, 449
—, strains with different methyl methanesulphonate sensitivities, caffeine toxicity, 57
—, survival of caffeine-fed adult males and females from strains of, 453
—, X-ray-induced reversions of mutant *forked-3N*, 305
Dwarf, mutant, early, in soybean, production and characterization of, 223

Earliness, character, dwarf mutation in soybean, 223
Embryonic, cells, of Syrian hamster, mutation of, after exposure to methylnitrosocyanamide, 429
Embryos, of barley, ethyl methanesulphonate treatment, 45
Epilepsy, and long-term use of phenytoin, effects on bone-marrow chromosomes, 309
Escherichia coli, asbestos and glass fibres in bacterial mutation tests, 159
—, influence of numbers of chromosome replicating forks and gene copies on frequency of mutations, 11
Ethanol, effect of, on frequency of micronuclei in mouse bone marrow, 441
Ethyl methanesulphonate, dominant-lethal test results in two laboratories, 231
—, physiological modification of induced mutagenesis, 11
—, production of an early dwarf mutant in soybean, 223
—, uptake by barley embryos, 45
N-Ethyl-*N*-nitrosourea, physiological modification of induced mutagenesis, 11
Exchanges, DNA, low-level, in normal human and xeroderma pigmentosum cells after UV, 279
Excision, of γ-ray-induced thymine lesions, by preparations from ataxia telangiectasia fibroblasts, 139
—, proficient, and -deficient, strains of yeast, induction of pure and sectored mutant clones in, 327
—, repair, of DNA base damage in human cells treated with 4-nitroquinoline 1-oxide, 415

Females, of *Drosophila melanogaster*, treated with triethylenemelamine, and X-irradiated sperm, 65
—, from strains of *D. melanogaster*, caffeine-fed, survival of, 453
Fertility, of Drosophila females treated with triethylenemelamine, and mutation yield recovered from X-irradiated sperm, 65

Fribres, of glass and asbestos, in bacterial mutation tests, 159
Fibroblasts, of ataxia telangiectasia, excision of γ-rayinduced thymine lesions by preparations from, 139
—, diploid, aberration induction in, action of *N*-methyl-*N*-nitrosourea, 387, 401
—, Down's, aberration induction in, action of *N*-methyl-*N*-nitrosourea, 387, 401
—, human, normal and xeroderma pigmentosum, damage of polycyclic hydrocarbon derivatives, 117
—, of Syrian hamster embryo, treatment with methylnitrosocyanamide, 429
p-Fluorophenylalanine, mutational synergism between, and UV, in *Coprinus lagopus*, 213
Forked-3N, mutant, in *D. melanogaster*, X-ray-induced reversions of, 305
Forks, chromosome-replicating, influence of numbers of, on frequency of mutations in *E. coli*, 11
Forward, mutation, genetic analysis of mutants of *S. cerevisiae* resistant to, by UV, 179
Fractionation, of dose, of γ-radiation in mammalian cells, 91
Frequency, of mutation, and different treatment conditions, treatment of barley embryos with ethyl methanesulphonate, 45
—, —, in *E. coli*, influence of numbers of replicating forks and gene copies on, 11

Gene, copies, influence of numbers of, on frequency of mutations in *E. coli*, 11
Genetic, analysis, of UV-resistant mutants, of *S. cerevisiae*, 179
Germ, and somatic cells, individual susceptibility of mice to a mutagen in, 71
Glass, fibres, in bacterial mutation tests, 159
Glutamine-requiring, temperature-sensitive, Chinese hamster cells, mutagenesis, 263
Glycine max, production and characterization of an early dwarf mutant, 223

Hamster, golden Syrian, bone marrow, treatment by chemical carcinogens, 255
—, Syrian, embryonic cells, mutation of, after exposure to methylnitrosocyanamide, 429
Host-repair mechanisms, independence of, mutations in bacteriophage T7 by γ-rays, 313
Human, ataxia telangiectasia fibroblasts, excision of γ-ray-induced thymine lesions by preparations from, 139
—, cell lines, non-established, action of *N*-methyl-*N*-nitrosourea on, *in vitro*, 387, 401
—, cells, treated with 4-nitroquinoline 1-oxide, excision repair of DNA base damage, 415
—, fibroblasts, normal and xeroderma pigmentosum, damage of polycyclic hydrocarbon derivatives, 117
—, lymphocytes, γ-radiation-induced aberrations, 291
—, normal, and xeroderma pigmentosum cells, low-level DNA exchanges after UV, 279
Hydrazine, mutagenesis of yeast, 165
Hydrocarbons, polycyclic, carcinogenic, cell-mediated mutagenesis in cultured Chinese hamster cells, 101
—, —, derivatives of, damage in normal and xeroderma pigmentosum human fibroblasts, 117

Individual, susceptibility, of mice, to a mutagen, in germ and somatic cells, 71
Inherited, conditions, irregularly, in man, skeletal mutations as models of, γ-rays in mouse, 357
Injection, oral *vs.* intraperitoneal, of triethylenemelamine, in mouse, 247
Interchanges, X-ray-induced, genetic analysis of, in primary spermatocytes of *D. melanogaster*, 449
Intraperitoneal, *vs.* oral injection, of triethylenemelamine, in mouse, 247
Intraperitoneal cavity, of mice, γ-ray mutagenesis, 81
Irradiation, γ, aberrations in human lymphocytes, 291
—, —, in bacteriophage T7, independence of host-repair mechanisms, 313
—, —, dicentric yields by, and chromosome arm number in primates, 147
—, —, excision of thymine lesions by preparations from telangiectasia fibroblasts, 139
—, —, induced DNA single-strand scission, and rejoining, in mouse spermatogonia, 25
—, —, induction of dominant mutations that cause skeletal abnormalities in mice, 357
—, —, in mammalian cells, effect of dose fractionation, 91
—, —, mutagenesis of cultured mammalian cells, *in vitro* and *in vivo*, 81
—, near-UV, damage in Chinese hamster cells sensitized to, by psoralen and angelicin, 377

—, UV, in *Coprinus lagopus*, mutational synergism between *p*-fluorophenylalanine and, 213
—, —, low-level DNA exchanges in normal human and xeroderma pigmentosum cells, 279
—, —, mutability, pathways of, in *S. cerevisiae*, 179
—, —, and mutagenicity of polycyclic hydrocarbon derivatives in xeroderma pigmentosum fibroblasts, 117
—, —, mutations in blue-green alga, 37
—, —, pathways of mutability in *S. cerevisiae*, 339
—, —, pure and sectored mutant clones in excision-proficient and -deficient strains of yeast, 327
UV-sensitive mutant, of *S. cerevisiae*, alkaline sucrose sedimentation studies of damage induced by methyl methanesulphonate, 1
—, X, induced interchanges in primary spermatocytes of *D. melanogaster*, analysis, 449
—, —, reversions of the mutant *forked-3N* in *D. melanogaster*, 305
—, —, in sperm, treatment of Drosophila females with triethylenemelamine, and, 65
Isolation, of chlorate-resistant mutants of blue-green alga *Nostoc muscorum*, 205
—, of sulphate reductaseless mutants of blue-green alga *Nostoc muscorum*, 445

Laboratories, two, dominant-lethal test results with known mutagens, 231
Larvae, of Drosophila strains with different methyl methanesulphonate sensitivities, caffeine toxicity, 57
Lesions, of thymine, γ-ray-induced, excision by preparations from ataxia telangiectasia fibroblasts, 139
Lethals, dominant, in mouse, by triethylenemelamine, 247
Long-term, use, of phenytoin, effects on bone-marrow chromosomes in man, 309
Lymphocytes, human, γ-radiation-induced aberrations, 291
—, peripheral, dicentric yields, by γ-radiation, and chromosome arm number, in primates, 147

Macaca fascicularis, dicentric yields induced by γ-radiation, and chromosome arm number, 147
Males, from strains of *D. melanogaster*, caffeine-fed, survival of, 453
Mammalian cells, cultured, γ-ray mutagenesis, *in vitro* and *in vivo*, 81
—, effect of dose fractionation on γ-radiation-induced mutations, 91
Man, bone-marrow chromosomes of, long-term use of phenytoin, 309
—, skeletal mutations as models of irregularly inherited conditions in, γ-rays in mouse, 357
Mechanisms, of host-repair, independence of mutations in bacteriophage T7 by γ-rays, 313
Mechlorethamine hydrochloride, dominant-lethal test results in two laboratories, 231
7-Methylbenzanthracene, cell-mediated mutagenesis in cultured Chinese hamster cells, 101
3-Methylcholanthrene, in mouse and hamster bone marrow, 255
Methyl methanesulphonate, breakage and rejoining in *S. cerevisiae* mutants, alkaline sucrose sedimentation studies, 1
—, different sensitivities to, caffeine toxicity in *D. melanogaster*, 57
—, physiological modification of induced mutagenesis, 11
N-Methyl-*N'*-nitro-*N*-nitrosoguanidine, mutagenesis in temperature-sensitive glutamine-requiring Chinese hamster cells, 263
—, mutations in blue-green alga, 37
—, physiological modification of induced mutagenesis, 11
—, treatment of Syrian hamster embryonic cells, 429
Methylnitrosocyanamide, mutation of Syrian hamster embryonic cells after exposure to, 429
N-Methyl-*N*-nitrosourea, action of, on non-established human cell lines *in vitro*, 387, 401
—, physiological modification of induced mutagenesis, 11
Methylurea, and sodium nitrite, individual susceptibility of mice, in germ and somatic cells, 71
Micronuclei, frequency of, in mouse bone marrow, effect of ethanol on, 441
—, induction of, in mouse and hamster bone marrow by chemical carcinogens, 255
—, test, susceptibility of mice to a mutagen in germ and somatic cells, 71
Models, of irregularly inherited conditions in man, skeletal mutations, as, γ-rays in mouse, 357
Modification, physiological, of alkylating agent-induced mutagenesis, 11
Monkey, dicentric yields induced by γ-radia-

tion, and chromosome arm number, 147
Morphological, transformation, of Syrian hamster embryonic cells after exposure to methylnitrosocyanamide, 429
Mortality, in Drosophila females treated with triethylenemelamine, and X-irradiated sperm, 65
Mouse, bone marrow, induction of micronuclei by chemical carcinogens, 255
—, cells, cultured, γ-ray mutagenesis, *in vitro* and *in vivo*, 81
—, γ-ray-induced dominant mutations that cause skeletal abnormalities, 357
—, dominant-lethal test results with known mutagens in two laboratories, 231
—, spermatogonia, radiation-induced single-strand scission and its rejoining, 25
—, Swiss, bone marrow, effect of ethanol on frequency of micronuclei in, 441
—, —, male, individual susceptibility of, to a mutagen in germ and somatic cells, 71
—, triethylenemelamine-induced dominant lethals, 247
Mutability, UV, pathways of, in *S. cerevisiae*, 179, 339
Mutagen, acetylaminofluorene, in mouse and hamster bone marrow, 255
—, acriflavine, mutations in blue-green alga, 37
—, aflatoxin B1, in mouse and hamster bone marrow, 255
—, alkylating agent, physiological modification of mutagenesis induced by, 11
—, 2-aminopurine, mutations in blue-green alga, 37
—, benzanthracene 5,6-oxide, in normal and xeroderma pigmentosum fibroblasts, 117
—, benzopyrene, cell-mediated mutagenesis in cultured Chinese hamster cells, 101
—, benzopyrene 4,5-oxide, in normal and xeroderma pigmentosum fibroblasts, 117
—, caffeine, mutations in blue-green alga, 37
—, —, survival in *Drosophila melanogaster* strains, 453
—, —, toxicity in Drosophila strains with different methyl methanesulphonate sensitivities, 57
—, chrysene 5,6-oxide, in normal and xeroderma pigmentosum, fibroblasts, 117
—, cyclophosphamide, dominant-lethal test results in two laboratories, 231
—, dibenzanthracene 5,6-oxide, in normal and xeroderma pigmentosum fibroblasts, 117
—, 7,12-dimethylbenzanthracene 5,6-oxide, in normal and xeroderma pigmentosum fibroblasts, 117
—, dimethylnitrosamine, in mouse and hamster bone marrow, 255
—, ethyl methanesulphonate, dominant-lethal test results in two laboratories, 231
—, —, physiological modification of induced mutagenesis, 11
—, —, production of an early dwarf mutant in soybean, 223
—, —, uptake by barley embryos, 45
—, *N*-ethyl-*N*-nitrosourea, physiological modification of induced mutagenesis, 11
—, *p*-fluorophenylalanine, mutational synergism between, and UV, in *Coprinus lagopus*, 213
—, hydrazine, mutagenesis of yeast, 165
—, hydrocarbons, polycyclic, carcinogenic, cell-mediated mutagenesis in cultured Chinese hamster cells, 101
—, —, —, derivatives, damage in normal and xeroderma pigmentosum human fibroblasts, 117
—, mechlorethamine, hydrochloride, dominant-lethal test results in two laboratories, 231
—, 7-methylbenzanthracene, cell-mediated mutagenesis in cultured Chinese hamster cells, 101
—, 3-methylcholanthrene, in mouse and hamster bone marrow, 255
—, methyl methanesulphonate, breakage and rejoining in *S. cerevisiae* mutants, alkaline sucrose sedimentation studies, 1
—, —, physiological modification of induced mutagenesis, 11
—, —, sensitivities to, caffeine toxicity in Drosophila, 57
—, *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine, mutagenesis in temperature-sensitive glutamine-requiring Chinese hamster cells, 263
—, —, mutations in blue-green alga, 37
—, —, physiological modification of induced mutagenesis, 11
—, —, treatment of Syrian hamster embryonic cells, 429
—, methylnitrosocyanamide, mutation of Syrian hamster embryonic cells after exposure to, 429
—, *N*-methyl-*N*-nitrosourea, action of, on non-established human cell lines *in vitro*, 387, 401
—, —, physiological modification of induced mutagenesis, 11
—, methylurea, and sodium nitrite, individual susceptibility of mice, in germ and somatic cells, 71
—, nitrogen mustard, dominant-lethal test

results in two laboratories, 231
—, 4-nitroquinoline 1-oxide, excision repair of DNA base damage in human cells treated with, 415
—, phenytoin, long-term use of, effects on bone-marrow chromosomes in man, 309
—, polycyclic hydrocarbon derivatives, damage in normal and xeroderma pigmentosum human fibroblasts, 117
—, polycyclic hydrocarbons, cell-mediated Chinese hamster cells, 101
—, sodium nitrite and methylurea, individual susceptibility of mice, in germ and somatic cells, 71
—, triethylenemelamine, dominant lethals in mice, oral *vs.* i.p. injection, 247
—, —, treatment of Drosophila females with, and X-irradiated sperm, 65
Mutagenesis, cell-mediated, in cultured Chinese hamster cells, by carcinogenic polycyclic hydrocarbons, 101
—, γ-ray, of cultured mammalian cells, 81
—, spontaneous, chemical and viral, in glutamine-requiring Chinese hamster cells, 263
Mutagenicity, of polycyclic hydrocarbon derivatives, in human fibroblasts, 117
Mutant, *amber*, of bacteriophage T7, γ-ray irradiation, 313
—, chlorate-resistant, of blue-green alga *Nostoc muscorum*, isolation and characterization, 205
—, clones, sectored, and pure, induced in yeast, 327
—, *forked-3N*, X-ray-induced reversions of, in *D. melanogaster*, 305
—, of *S. cerevisiae*, resistant to UV-induced forward mutation, 179
—, sulphate reductaseless, of blue-green alga *Nostoc muscorum*, isolation of, 445
—, *umr*, of *S. cerevisiae*, pathways of UV mutability, 339
—, wild-type and UV-sensitive, of *S. cerevisiae*, alkaline sucrose sedimentation studies of damage induced by methyl methanesulphonate, 1
Mutations, to cyanophage and streptomycin resistance, in *Plectonema boryanum*, 37
—, dominant, γ-ray-induced, that cause skeletal abnormalities in mice, 357
—, dwarf, early, in soybean, production and characterization of, 223
—, forward, genetic analysis of mutants of *S. cerevisiae* resistant to, by UV, 179
—, frequency, and different treatment conditions, treatment of barley embryos with ethyl methanesulphonate, 45
—, —, in *E. coli*, influence of numbers of replicating forks and gene copies on, 11
—, induced by γ-radiation, in mammalian cells, effect of dose fractionation, 91
—, of Syrian hamster embryonic cells after exposure to methylnitrosocyanamide, 429
—, tests, bacterial, asbestos and glass fibres, 159
—, yield, from X-irradiated sperm, effects of treating Drosophila females with triethylenemelamine, and, 65
Mutational, synergism, between *p*-fluorophenylalanine and UV in *Coprinus lagopus*, 213

Nitrogen mustard, dominant-lethal test results in two laboratories, 231
4-Nitroquinoline 1-oxide, excision repair of DNA base damage in human cells treated with, 415
Nostoc muscorum, blue-green alga, isolation and characterization of chlorate-resistant mutants of, 205
—, —, isolation of sulphate reductaseless mutants of, 445
Nycticebus coucang, dicentric yields induced by γ-radiation, and chromosome arm number, 147

Oral, *vs.* intraperitoneal injection, of triethylenemelamine, in mouse, 247
Oxygen, γ-ray irradiation in bacteriophage T7 in presence of, 313

Peripheral, lymphocytes, dicentric yields by γ-radiation, and chromosome arm number, in primates, 147
Phenytoin, long-term use of, effects on bone-marrow chromosomes in man, 309
Photoreactivation, and mutation induction in blue-green alga, 37
Physiological, modification, of alkylating agent-induced mutagenesis, 11
Plectonema boryanum, induction of mutations, 37
Polycyclic hydrocarbons, carcinogenic, cell-mediated mutagenesis in cultured Chinese hamster cells, 101
—, derivatives, damage in normal and xeroderma pigmentosum human fibroblasts, 117
Post-treatment, cell division, mutagenesis of yeast by hydrazine, 165
Primates, dicentric yields by γ-radiation, and chromosome arm number, 147
Production, of an early dwarf mutant in soybean, 223

Psoralen, and angelicin, damage in Chinese hamster cells sensitized to near-UV light by, 377
Psoriasis, and damage in Chinese hamster cells sensitized to near-UV light by psoralen and angelicin, 377

Rejoining, after γ-irradiation, in mouse spermatogonia, 25
—, in *S. cerevisiae* treated with methyl methanesulphonate, alkaline sucrose sedimentation studies, 1
Repair, of DNA, effect of, on damage by polycyclic hydrocarbon derivatives, in human fibroblasts, 117
Replication, forks, of chromosome, influence of numbers of, on frequency of mutations in *E. coli*, 11
Resistance, canavanine, relation between canavanine toxicity and UV mutability to, in yeast, 339
—, of mutant of blue-green alga *Nostoc muscorum*, to chlorate, isolation and characterization, 205
—, of mutants of *S. cerevisiae*, to UV-induced forward mutation, 179
—, to streptomycin, and cyanophage, mutations to, in blue-green alga, 37
Reversions, induced by X-rays, of mutant *forked-3N* in *D. melanogaster*, 305

Saccharomyces cerevisiae, induction of mutant clones in excision-proficient and -deficient strains, 327
—, mutagenesis by hydrazine, 165
—, mutants, alkaline sucrose sedimentation studies of methyl methanesulphonate-induced damaged, 1
—, pathways of UV mutability, 179, 339
Saimiri sciureus, dicentric yields induced by γ-radiation, and chromosome arm number, 147
Salmonella typhimurium, asbestos and glass fibres in bacterial mutation tests, 159
Scission, single-strand, of DNA, induced by γ-radiation, and its rejoining, in mouse spermatogonia, 25
Sectored, mutant clones, and pure, induced in yeast, 327
Sedimentation, alkaline sucrose gradient, of methyl methanesulphonate-induced breakage in *S. cerevisiae* mutants, 1
Seeds, of barley, treatment with ethyl methanesulphonate, 45
Sensitivities, to methyl methanesulphonate, of Drosophila strains, caffeine toxicity, 57
SFA chrysotile, in bacterial mutation tests, 159
Simian virus, 40, mutagenesis, in temperature-sensitive glutamine-requiring Chinese hamster cells, 263
Single-strand, breakage, in *S. cerevisiae*, induced by methyl methanesulphonate, alkaline sucrose sedimentation studies, 1
—, scission, of DNA, induced by γ-radiation, and its rejoining, in mouse spermatogonia, 25
Skeletal, abnormalities, in mice, caused by γ-ray-induced dominant mutations, 357
Skin, fibroblasts, of ataxia telangiectasia, excision of γ-ray-induced thymine lesions by preparations from, 139
Sodium nitrite, and methylurea, individual susceptibility of mice, in germ and somatic cells, 71
Somatic, and germ cells, individual susceptibility, of mice, to a mutagen in, 71
Soybean, production and characterization of an early dwarf mutant, 223
Sperm, of Drosophila, X-irradiated, treatment of females with triethylenemelamine, and, 65
Spermatocytes, primary, of *D. melanogaster*, genetic analysis of X-ray-induced interchanges in, 449
Spermatogonia, of mouse, radiation-induced DNA single-strand scission, and its rejoining, 25
Spermatozoa, of mouse, radiation-induced DNA single-strand scission, and its rejoining, 25
Spontaneous, mutagenesis, in temperature-sensitive glutamine-requiring Chinese hamster cells, 263
Stimulated, and non-stimulated cells, of human lymphocytes, treated with γ-rays, dose-rat effects, 291
Strains, of Drosophila, with different methyl methanesulphonate sensitivities, caffeine toxicity, 57
—, —, survival of caffeine-fed adult males and females, 453
—, excision-proficient and -deficient, of yeast, induction of pure and sectored mutant clones in, 327
Streptomycin, resistance, mutations to, in blue-green alga, 37
Sulphate reductaseless, mutants, of blue-green alga *nostoc muscorum*, isolation of, 445
Survival, of caffeine-fed males and females from *Drosophila melanogaster* strains, 453

Susceptibility, individual, of mice, to a mutagen, in germ and somatic cells, 71
Synergism, mutational, between *p*-fluorophenylalanine and UV in *Coprinus lagopus*, 213

Temperature-sensitive, glutamine-requiring Chinese hamster cells, mutagenesis, 263
Test, bacterial, asbestos and glass fibres in, 159
—, dominant-lethal, and micronucleus, susceptibility of mice to a mutagen in germ and somatic cells, 71
—, —, results with known mutagens in two laboratories, 231
Thymine, lesions, γ-ray-induced, excision by preparations from ataxia telangiectasia fibroblasts, 139
Toxicity, of caffeine, in Drosophila strains, with different methyl methanesulphonate sensitivities, 57
Toxicity, of caffeine, in Drosophila strains, with different methyl methanesulphonate sensitivities, 57
—, canavanine, relation between, and UV mutability to canavanine resistance, in yeast, 339
Transformation, morphological, of Syrian hamster embryonic cells after exposure to methylnitrosocyanamide, 429
Triethylenemelamine, dominant lethals in mice, oral *vs.* i.p. injection, 247
—, treatment of Drosophila females with, and X-irradiated sperm, 65

Uptake, of ethyl methanesulphonate, by barley embryos, 45

Viral, mutagenesis, in temperature-sensitive glutamine-requiring Chinese hamster cells, 263
Virus, Simian, 40, mutagenesis, in temperature-sensitive glutamine-requiring Chinese hamster cells, 263

Wild-type, mutants, of *S. cerevisiae*, alkaline sucrose sedimentation studies of methyl methanesulphonate-induced breakage, 1

Xeroderma pigmentosum, cell line, excision repair of DNA base damage in human cells treated with 4-nitroquinoline 1-oxide, 415
—, cells, low-level DNA exchanges after UV, 279
—, fibroblasts, damage of polycyclic hydrocarbon derivatives, 117
X-rod chromosome, and Y chromosome, of *D. melanogaster*, X-ray-induced interchanges, 449

Y chromosome and X-rod chromosome, of *D. melanogaster*, X-ray-induced interchanges, 449
Yeast, induction of mutant clones in excision-proficient and -deficient strains, 327
—, mutagenesis by hydrazine, 165
—, pathways of UV mutability, 339
Yields, dicentric, by γ-radiation, and chromosome arm number in primates, 147